

# McGill™ Protect-O-Globes

## For Incandescent Bulbs

**NEC:**  
 Rated for Ordinary (Unclassified) Locations  
 Meets OSHA requirements

### Applications

- Protect lamps and the working environment with economical polycarbonate globes that are virtually unbreakable.
- Ideal for the replacement of glass and wire guard combinations where incandescent or HID lamps are used in vandal-proof applications.

### Features

- Various styles, sizes, and colors available.
- Prismatic globes provide lateral light diffusion.
- Smooth globes reduce operating temperatures, amplify light source.
- Accommodates up to 150 Watts maximum, base-up operation.



1500-C




0604AP



3316


Description	Color	Finish	Thread Diameter mm (in)	Globe Dimensions Millimeters (Inches) – W x L	Maximum Wattage	Catalog Number
<b>Globes</b>						
209.6 mm (8.25 in) cylinder	Clear	Prismatic	82.6 (3.25)	88.9 x 209.6 (3.50 x 8.25)	60	<b>0134CP</b> ①
209.6 mm (8.25 in) cylinder	Clear	Smooth	82.6 (3.25)	88.9 x 209.6 (3.50 x 8.25)	60	<b>0134CS</b> ①
211.1 mm (8.31 in) cylinder	Clear	Smooth	108.0 (4.25)	120.7 x 211.1 (4.75 x 8.31)	150	<b>1500-C</b>
158.8 mm (6.25 in) bullet	Clear	Smooth	82.6 (3.25)	95.3 x 158.8 (3.75 x 6.25)	60	<b>0603CS</b> ①
158.8 mm (6.25 in) bullet	Green	Smooth	82.6 (3.25)	95.3 x 158.8 (3.75 x 6.25)	60	<b>0603GS</b> ①
158.8 mm (6.25 in) bullet	Red	Smooth	82.6 (3.25)	95.3 x 158.8 (3.75 x 6.25)	60	<b>0603RS</b> ①
158.8 mm (6.25 in) bullet	Amber	Smooth	82.6 (3.25)	95.3 x 158.8 (3.75 x 6.25)	60	<b>0603AS</b> ①
158.8 mm (6.25 in) cylinder	Clear	Smooth	82.6 (3.25)	95.3 x 158.8 (3.75 x 6.25)	60	<b>0604CS</b> ①
158.8 mm (6.25 in) cylinder	Clear	Smooth	81.0 (3.15)	94.5 x 152.4 (3.72 x 6.0)	75	<b>0752-C</b>
158.8 mm (6.25 in) cylinder	Green	Smooth	82.6 (3.25)	88.9 x 158.8 (3.5 x 6.25)	60	<b>0604GS</b> ①
158.8 mm (6.25 in) cylinder	Red	Smooth	82.6 (3.25)	88.9 x 158.8 (3.5 x 6.25)	60	<b>0604RS</b> ①
158.8 mm (6.25 in) cylinder	Amber	Smooth	82.6 (3.25)	88.9 x 158.8 (3.5 x 6.25)	60	<b>0604AS</b> ①
158.8 mm (6.25 in) cylinder	Clear	Prismatic	82.6 (3.25)	88.9 x 158.8 (3.5 x 6.25)	60	<b>0604CP</b> ①
158.8 mm (6.25 in) cylinder	Clear	Prismatic	81.0 (3.15)	94.5 x 152.4 (3.72 x 6.0)	75	<b>0752-P</b>
158.8 mm (6.25 in) cylinder	Green	Prismatic	82.6 (3.25)	88.9 x 158.8 (3.5 x 6.25)	60	<b>0604GP</b> ①
158.8 mm (6.25 in) cylinder	Red	Prismatic	82.6 (3.25)	88.9 x 158.8 (3.5 x 6.25)	60	<b>0604RP</b> ①
158.8 mm (6.25 in) cylinder	Amber	Prismatic	82.6 (3.25)	88.9 x 158.8 (3.5 x 6.25)	60	<b>0604AP</b> ①
<b>Bases</b>						
Yellow plastic base for use with 0752-C/P globes			81.0 (3.15)	87.4 x 41.4 (3.44 x 1.63)	75	<b>3316</b>
Yellow plastic base for use with 1500-C globe			108.0 (4.25)	87.4 x 41.4 (3.44 x 1.63)	150	<b>4014</b>

### Dimensions




Cylinder Prismatic

- A - 88.9 mm (3.5 in)
- B - 190.5 mm (7.5 in)
- C - 76.2 mm (3.0 in)
- D - 82.6 mm (3.25 in)
- E - 95.3 mm (3.75 in)
- F - 12.7 mm (0.5 in)



Cylinder Smooth

- A - 88.9 mm (3.5 in)
- B - 139.7 mm (5.5 in)
- C - 76.2 mm (3.0 in)
- D - 82.6 mm (3.25 in)
- E - 95.3 mm (3.75 in)
- F - 12.7 mm (0.5 in)



Bullet Smooth

- A - 95.3 mm (3.75 in)
- B - 139.7 mm (5.25 in)
- C - 76.2 mm (3.0 in)
- D - 82.6 mm (3.25 in)
- E - 12.7 mm (0.5 in)

① Can be used with McGill Incandescent and Fluorescent Utility Lights.